



THE FACTORY THEATRE TECHNICAL SPECIFICATIONS

Current as of April 2023

CONTACTS

The Factory Theatre

105 Victoria Road, Marrickville
Sydney Australia, 2205
+61 2 9660 9060 (Box Office)

Century Venues

105 Victoria Road, Marrickville
NSW Australia, 2205
+61 2 9519 9231

INDICITIVE CHARGES: FACTORY THEATRE

The below indicative charges are EX GST and should be factored into event budgeting. These costs will be itemised on the venue settlement on completion of the show.

Early / Late Access

An additional venue hire fee + staff charges applies for additional hours outside of the contractual period.

House Audio Component

House Audio Component (as listed below in this document) is included in contractual hire.

House Lighting Component

House Theatre Lighting Component (as listed below in this document) is included in contractual hire.

Additional Production Items

Please contact Event Manager / Production Manager for prices and availability of production items outside of the standard as listed in this document.

All technical advancing and prices for hires & staff for all shows to be coordinated through Event Manager / Production Manager.

STAGE DIMENSIONS

DSE to Rear of Stage	6m
Stage Width	8m
Stage Height	1.13m
Stage Rake	0 degrees
Stage Surface	Timber floor, painted black

AUDITORIUM DIMENSIONS

DSE to Audio & Lighting Mix Pos	16m
Theatre Floor Width	18.4m
Floor to house ceiling	4.5m

POWER

Lighting

2 x 32amp 3 phase outlets

Audio

2 x 32amp 3 phase outlets

STAGE FITTINGS

2.4m x 2.4m beartrap drumriser @ 300mm	
Black upstage curtain	
Cinema Screen	3.5m x 4m motorised screen

Barricade


Note: barricade is not standard with hire of the venue. Please contact your Event Manager / Production Manager should you require a steel barricade in place.

RIGGING

All rigging and fly system requirements installed and operated by inhouse riggers only. The Production Manager must approve all additional rigging requirements in advance.

Lighting

Grand MA3 Controller on PC with Command Wing 1



Plot ID	Universe	Address	Fixture	Mode
1	1	1	Silver Star- Led Fresnel 150 TW	8CH - STD.P
2	1	9	Silver Star- Led Fresnel 150 TW	8CH - STD.P
3	1	17	Silver Star- Led Fresnel 150 TW	8CH - STD.P
4	1	25	Silver Star- Led Fresnel 150 TW	8CH - STD.P
11	1	73	EK- Eprofile HP	2ch
12	1	75	EK- Eprofile HP	2ch
13	1	77	EK- Eprofile HP	2ch
14	1	79	EK- Eprofile HP	2ch
21	1	81	Acme- Stage Blinder IP	1ch
22	1	82	Acme- Stage Blinder IP	1ch
23	1	83	Acme- Stage Blinder IP	1ch
24	1	84	Acme- Stage Blinder IP	1ch
101	1	101	Acme- Stage Stage Par 100	6ch
102	1	107	Acme- Stage Stage Par 100	6ch
103	1	113	Acme- Stage Stage Par 100	6ch
104	1	119	Acme- Stage Stage Par 100	6ch
105	1	125	Acme- Stage Stage Par 100	6ch
106	1	131	Acme- Stage Stage Par 100	6ch
107	1	137	Acme- Stage Stage Par 100	6ch
108	1	143	Acme- Stage Stage Par 100	6ch
109	1	149	Acme- Stage Stage Par 100	6ch
110	1	155	Acme- Stage Stage Par 100	6ch
111	1	161	Acme- Stage Stage Par 100	6ch
112	1	167	Acme- Stage Stage Par 100	6ch
113	1	173	Acme- Stage Stage Par 100	6ch
114	1	179	Acme- Stage Stage Par 100	6ch
115	1	185	Acme- Stage Stage Par 100	6ch
116	1	191	Acme- Stage Stage Par 100	6ch
117	1	197	Acme- Stage Stage Par 100	6ch
118	1	203	Acme- Stage Stage Par 100	6ch
119	1	209	Acme- Stage Stage Par 100	6ch
120	1	215	Acme- Stage Stage Par 100	6ch
201	1	225	Acme- Stage Par Colour	6ch
202	1	231	Acme- Stage Par Colour	6ch
203	1	237	Acme- Stage Par Colour	6ch
204	1	243	Acme- Stage Par Colour	6ch
401	1	251	Acme- Energy Spot Pro	25ch- Mode 3
402	1	276	Acme- Energy Spot Pro	25ch- Mode 3
403	1	301	Acme- Energy Spot Pro	25ch- Mode 3
404	1	326	Acme- Energy Spot Pro	25ch- Mode 3
405	1	351	Acme- Energy Spot Pro	25ch- Mode 3
406	1	376	Acme- Energy Spot Pro	25ch- Mode 3

AUDIO

FOH Speaker System

Flown NEXO GEO S 1210	12
Ground RS 15 Sub	4
Camco Vortex 6 Amps	4
Nexo NX242 Processors	3

FOH Control

Yamaha M7CL Digital Console	1
-----------------------------	---

Inserts & Effects

TC D2	1
DBX 160A	2
DBX 566	1
ITC T2129 CD / MP3 Player	1

Monitor Control

Yamaha M7CL Digital Console	1	<i>when required</i>
-----------------------------	---	----------------------

Monitor System

(5 SENDS PLUS DRUMFILL)

Wayloud Speakers	7
Crown Macrotech 2400	3
DBX1231	3
Generic Drumfill (Sub/Top)	1
Camco Tecton 38.4 (Drumfill)	1
EV EX24 Xover (Drumfill)	1

System Info

Multicore	32ch
Shure B52a	1
Shure B91a	1
Shure B58a	5
Shure SM57	5
Sennheiser 904	4
Sennheiser e906	1
Sennheiser 604	1
Rode NT5	2
Behringer C2	1
LA Audio DI2	4
Radial DI	2

Short Booms	5
Heavy Tall Booms	10
Straight Stands	2

DRESSING ROOMS & PRODUCTION OFFICES

1x Dressing rooms available

1x Kitchenette

Toilet Facilities

Dressing Room

7.6m x 2.8m

Dressing room mirror lighting

Tea and coffee facilities available in common area

Internet Access

Wireless Network Name TELSTRA-4G

Wireless Network Password Available – Printed on sign in dressing rooms.

LOADING AREAS

Load in located through main gates of Factory Theatre courtyard.

Lift access available. Please liaise with BOH Manager upon arrival.

30 Stairs from Courtyard to stage loading.

FACTORY THEATRE HOUSE RULES

No Wheels on Auditorium Carpet.

All doors, stage or house must be clear at all times for access

All stage equipment must enter via Courtyard

No seats, armrests, or backrests can be used as a step

No one but house personnel are permitted in the roof or grid

Only house riggers may operate rigging equipment or rig

Do not adjust stage drapery

Do not use gaffa tape on stage drapery, proscenium wall or backstage walls

Trucks cannot park in front of the theatre earlier than 1 hour after conclusion of performance

Load out to be carried out safely and immediately after conclusion of performance

The venue must be cleared of all patrons and the loading passage way cleared of patrons and rubbish before cases can be loaded out.